

Printing date 28.06.2012 Version number 7 Revision: 26.06.2012

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- Trade name: SR Vivodent DCL, SR Orthotyp DCL, SR Ortholingual DCL, SR Postaris DCL, SR Orthoplane DCL
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation Manufacture of dental prothesis
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ivoclar Vivadent AG

Bendererstrasse 2

FL-9494 Schaan

PRINCIPALITY OF LIECHTENSTEIN

Tel: +423 235 35 35 Fax: +423 235 33 60

· Further information obtainable from:

Regulatory Affairs

msds@ivoclarvivadent.com

· Emergency telephone number: +423 / 235 33 13

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- · Label elements
- · Labelling according to EU guidelines:

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

- · Other hazards Avoid breathing sanding dust /swarf.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Resin teeth based on polymethylmethacrylate
- · Dangerous components: Void
- · Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Mechanical effects only.

· After swallowing: Seek medical treatment.

(Contd. on page 2)

Printing date 28.06.2012 Version number 7 Revision: 26.06.2012

Trade name: SR Vivodent DCL, SR Orthotyp DCL, SR Ortholingual DCL, SR Postaris DCL, SR Orthoplane DCL

(Contd. of page 1)

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Only adequately trained personnel should handle this product.

For use in dentistry only.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 3)

 Printing date 28.06.2012
 Version number 7
 Revision: 26.06.2012

Trade name: SR Vivodent DCL, SR Orthotyp DCL, SR Ortholingual DCL, SR Postaris DCL, SR Orthoplane DCL

(Contd. of page 2)

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Usual hygienic measures for dental practice.
- Respiratory protection: Use respiratory protective device against the effects of dust.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Always wear safety goggles during mechanical processing (grinding, sawing /cutting, drilling, milling).

Information on basic physical and chemical properties		
General Information		
Appearance:		
Form:	Solid	
Colour:	According to product specification	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not applicable.	

(Contd. on page 4)

Printing date 28.06.2012 Version number 7 Revision: 26.06.2012

Trade name: SR Vivodent DCL, SR Orthotyp DCL, SR Ortholingual DCL, SR Postaris DCL, SR Orthoplane DCL

		(Contd. of page 3
· Solubility in / Miscibility with		
water:	Insoluble.	
· Segregation coefficient (n-octo	anol/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Solids content:	100.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

Trade name: SR Vivodent DCL, SR Orthotyp DCL, SR Ortholingual DCL, SR Postaris DCL, SR Orthoplane DCL

(Contd. of page 4)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Other regulations, limitations and prohibitive regulations
 The product is a medical device according to the EC-directive 93/42/EEC.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

* Data compared to the previous version altered.